

Parabolic antenna JRMB - 900 -10 UPB

Antenna JRMB - 900 - 10 UPB is designed for microwave links at the frequency bands 10 GHz. It has deep reflector dish and massive bracket JDMW-900 which allows precise adjustment in both directions. Whole antenna system has extreme wind stability.

Electrical parameters:

Frequency range 10.1 – 10.7 GHz

Gain 37.2 dBi

Side lobe level ≤ 15 dB

Front to back ratio ≥ 47 dB

Beamwidth_{-3 dB} 2.3°

Polarization According to mounting unit - 2 x 45°

or Vertical / Horizontal

Return loss (VSWR) \geq 18 dB (\leq 1,3)

Mechanical parameters:

Parabola Aluminium alloy

Size Ø 900 mm

Depth 331 mm

Cover UV steady plastic ABS

Circle waveguide 19.5 mm

Input / output

Compatible with PowerBridge M10

Installation for mast Ø 40 - 120 mm

Operating wind load 140 km/h

Survival wind load 210 km/h

Weight of antenna 11.9 kg (26.23 lbs.)

of bracket 4.3 kg (9.48 lbs.)

Shipping dimensions 1000 mm x 1000 mm x 490 mm


The antenna is supplied together with a bracket that allows easy mounting on a mast. Bracket can be installed separately on the mast. Subsequently, you can simply hang up the antenna with microwave unit into it. Bracket allows fine setting elevation (of gradient) and azimuth \pm 20°. It is possible to mount to right and left side.


Contact: info@jirous.com



Parabolic antenna JRMB - 900 -10 UPB

Measurements of radiation pattern:





Contact: info@jirous.com



Parabolic antenna JRMB - 900 -10 UPB

Outline:




Fig. 1 Antenna dimensions



Fig. 2 Antenna with massive holder (back side)

Contact: info@jirous.com